

Your complete guide to managing oil contamination and degradation

Diagnosis & Prevention

Treatment

Cure

Health









WHY DOES THE HEALTH OF YOUR OIL MATTER?

Hydraulic and lubrication systems rely on having a clean and healthy source of oil in order to perform reliably and at their best. However, oil can quickly degrade in reactions with water, oxygen and heat, leading to a change of composition and viscosity, and the build-up of contaminants.

Unhealthy oil caused by degradation, whether in service or in storage, can result in costly equipment failure, as well as corrosion, sticking valves, friction and wear.

"80% of all hydraulic & lubrication failures are caused by water or particulate contamination"

Primary Filters supplied with equipment do not work at a low enough micron level to prevent oil degradation impacting upon the performance of hydraulics and lubricants. Our range of products and services focus upon every aspect of your oil's health in order to ensure it is always in peak condition. This includes slowing the rate of degradation by removing water, and the removal of degradation products before they form contaminants such as sludge and varnish deposits.

WE'RE THE FIRST CHOICE FOR COMPLETE OIL SOLUTIONS

FIRST FOR DIAGNOSIS AND PREVENTION Testing the quality and condition of your oil is vital.

Our advanced diagnosis and prevention solutions include test kits, particle counters and sophisticated laboratory services to help you identify oil issues before it's too late.



FIRST FOR HEALTH

We have been constantly innovating for over 25 years, making us the proven and qualified experts in oil health. If you need advice, consultancy, site-servicing, training or emergency product rental trust





FIRST FOR INDIVIDUAL CURES

As expert designers and builders of customised filtration systems, we ensure exactly the right response whatever your specific oil health issue or challenge.



We understand oil health. our family of filtration products enable

you to effectively treat your oil in order to ensure the longevity and performance of your hydraulic and lubrication systems.

I Source: National Fluid Power Centre



FIRST FOR DIAGNOSIS AND PREVENTION

From patch and field-test kits to water monitoring systems to our in-house laboratory analysis, Filtertechnik Ltd provide all the products and services you need to check your oil is in tip-top health, and to spot problems before they affect your equipment.

PRODUCT FOCUS


Particle Pal®


The award winning and revolutionary portable laboratory for advanced off-site and on-site testing of your fuel and oil.

The real-time Particle Pal® enables you to complete in 5 minutes a testing process that previously took 2 days. It provides live ISO particle counts as well as % RH or water ppm counts – we believe it's the most cost-effective cleanliness monitor on the market.

"Particle Pal® is unique...its portability, ease of use and adaptability across oils and fuels make it a valuable addition to the field engineer's tool kit." Seawork.com

- Compact, lightweight and robust
- Accurate, repeatable and consistent results
- Measure the quality of oils and fuels in
 - Ideal survey tool for field and laboratory
 - Sample direct from fuel tank, sample







ALSO AVAILABLE

PC9001

Laser particle counter for real time ISO cleanliness measurements. Can be used as a standalone or fitted into Filtertechnik filtration units.

Portable Water Monitoring Systems Patch Test Kits Laboratory Analysis

Prevention is the best cure. For help identifying oil issues before they cause problems call 0800 0087 456.



FIRST FOR TREATMENT

Filtertechnik deliver complete oil treatment solutions to give you confidence that no matter what your application you can be sure that your oil will be fit for purpose and ready to perform at its best.

- Oil filtration systems
- Water removal filters
- Filter housings

We have over 25 years of experience in the industry, so why not trust the industry experts to keep your oil free from water and contaminants?

PRODUCT FOCUS



Water removal filters

The industry-leading water removal solution has evolved. We have managed to make the best even better, meaning Filtasorb2 is the most powerful and cost effective tool on the market for removing water from your oil and diesel fuels.


- Versatile water removal cell design
- Holds up to 3 x more water than its closest
- ✓ Water reduction levels to under 50ppm in a single pass
- High flow rates
- Designed for use with modern oils and diesel
- Fully compatible with Filtertechnik's DFU range
- Filtasorb2 delivers unbeatable performance which ensures 100% free water and 99.9% entrained water removal





PRODUCT FOCUS

The Hippo Filter



The powerful yet versatile Hippo Filter range simultaneously removes both water and solid contaminants down to 2.8 micron within a wide variety of applications, helping improve the performance of your equipment and extend the life of your stored oil by up to 10 x the duration. It gives performance and versatility without compromise.

- Eliminates water and particulates, but not additive packages
- Extends oil drain and service intervals
- Simple to install and operate
- Environmentally friendly
- Range of cartridges mean you can choose the filtration level you need
- Removes dirt and solid contaminants down to NAS 5 and ISO 14/9 or below
- Exceptional value, low cost elements





The diagram below gives an indication of the scale of bacteria. The Hippo Filter range removes solids to below 2.8 micron and reduces water content

to below 100ppm.

 $100 \mu m$ Grain of salt

Human hair

40 μm Visibility of the Naked

3 μm

Bacteria



PRODUCT FOCUS

Sentry & SFC-3000

The Sentry & SFC-3000 are light to heavy-duty filtration systems designed to perform superbly within constant industrial or intermittent oil transfer applications. It offers a high capacity alongside flexible filter element selection and easy element

- Off-line contamination control of particulate and
- Replenishing systems with filtered oil
- Emptying waste oil quickly
- End of production line flushing
- Transfer and filtration of oils



PRODUCT FOCUS

IFC-300 & IFC6050

The IFC3000 & IFC6000 are intelligent portable filtration systems built to clean up large quantities of oils, whether lubricating, hydraulic or gear. In addition to top class filtration, both filtration systems have built-in intelligence, providing real time cleanliness levels of oils both interms of ISO and % water saturation.

- Online contamination control of particulate and water
- Real time cleanliness readings of ISO and % water saturation
- Transfer, lubricating, gear or hydraulic oils
- ✓ Clean up oil to < I micron absolute
 </p>

To see the full range of Filtertechnik oil filtration systems please visit www.filtertechnik.co.uk/catalog



FIRST FOR INDIVIDUAL CURES

We understand that no two projects are the same. This is why as well as a comprehensive range of versatile off-the-shelf solutions we also create bespoke solutions that exactly match your project requirements.



We are experts in advice, commissioning, design and manufacturing,

ensuring that every aspect of your project is done properly by fully-qualified professionals.

- Initial project surveying and advice
- Specialist
- In-house design and innovation resource
- Quality British manufacturing
- Benefit from 25 years of experience within the fluids and hydraulics sectors





NEPTUNE OIL DEHYDRATION SYSTEMS

Filtertechnik's Neptune range of oil dehydration systems unleashes the industry leading Filtasorb2 water removal filters. Each Neptune is designed and built for the removal of large volumes of water from transformer, hydraulic and gear oils quickly and efficiently. Recent in-house laboratory analysis revealed that the Neptune range can remove oil with a water content of many thousand parts per million (ppm) down to under 100 ppm. Whichever Neptune you choose you can be sure of clean and dry oil everytime.





- The Neptune is available in four models to suit small or large scale water removal:
- NDU-1NX 15 L/min (900 L/hr) NDU-2NX - 25 L/min (1500 L/hr)
- NDU-3NX 50 L/min (3000 L/hr) NDU-4NX -100 L/min (6000 L/hr)
- Reduced time to remove water from contaminated oils
- Suitable for hydraulic, gear & transformer oils
- The Neptune range can transport easily from site to site

STATUS REPORT

After succesful trials with numerous waste management and oil resellers the powerful Filtasorb2 inside the Neptune range has removed water content to under 400 ppm which is permissable to



FIRST FOR HEALTH

Just like human health, there is no one thing that will guarantee the condition and functionality of your oil. At Filtertechnik we've made it our business to become experts on all aspects of oil health, so that you can trust us when it comes to seeking advice, products and a complete and integrated oil health strategy.






- Consultancy, advice and best-practice
- In-house laboratory testing
- Superb customer service and aftersales support
- Equipment rental and emergency response

"Whatever your oil is used for it makes sense to look after it. Why throw away degraded oil or compromise the reliability and performance of your equipment when Filtertechnik can provide all the guidance and products you need at a competitive price?"

Richard Price, Managing Director our supplier Filtertechnik









Filtertechnik Ltd
I Central Park
Lenton Lane
Nottingham
NG7 2NR

Tel: +44 (0) 115 9003 600 Fax: +44 (0) 115 9868 875 Free Phone: 0800 0087 456 Email: sales@filtertechnik.co.uk

www.filtertechnik.co.uk